

KODAK Clean'N'CleAR FSV Aspheric 1.67
Technical Data

65MM 70MM 75MM 80MM

POWER	DIAMETER	FRONT CURVE	EDGE THICKNESS	CENTER THICKNESS								
				0.00	-0.25	-0.50	-0.75	-1.00	-1.25	-1.50	-1.75	-2.00
6.00	65	5.47	0.8	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
5.75	65	5.28	0.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8
5.50	65	5.09	0.8	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6
5.25	65	4.90	0.8	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4
5.00	65	4.71	0.8	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
4.75	65	4.52	0.8	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1
4.50	65	4.33	0.8	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
4.25	65	4.14	0.8	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
4.00	65	4.52	0.9	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
3.75	65	4.33	0.9	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6
3.50	65	4.14	0.9	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
3.25	65	3.94	0.9	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
3.00	65	4.33	1.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
2.75	65	4.14	1.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
2.50	65	3.95	1.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
2.25	65	3.75	1.0	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
2.00	65	4.14	1.0	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
1.75	65	3.95	1.1	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
1.50	65	3.75	1.2	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
1.25	65	3.56	1.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
1.00	65	3.95	1.3	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
0.75	65	3.76	1.4	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
0.50	65	3.56	1.6	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
0.25	65	3.48	1.8	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
0.00	80	3.17	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
-0.25	80	2.97	2.2	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
-0.50	80	2.77	2.3	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
-0.75	80	2.58	2.4	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
-1.00	80	2.38	2.5	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
-1.25	80	2.58	2.7	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
-1.50	80	2.38	2.9	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
-1.75	80	2.18	3.1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
-2.00	80	1.98	3.4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
-2.25	80	2.18	3.7	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-2.50	80	1.98	3.9	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-2.75	80	1.78	4.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-3.00	80	1.58	4.4	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-3.25	80	1.78	4.8	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-3.50	80	1.58	5.1	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-3.75	80	1.38	5.3	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-4.00	80	1.19	5.6	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-4.25	80	1.38	6.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-4.50	80	1.19	6.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-4.75	80	0.99	6.5	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-5.00	80	0.79	6.7	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-5.25	80	0.99	7.1	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-5.50	80	0.79	7.4	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-5.75	80	0.59	7.7	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-6.00	80	0.39	7.9	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
-6.25	75	0.78	7.5	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-6.50	75	0.58	7.7	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-6.75	75	0.38	7.9	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-7.00	75	0.19	8.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-7.25	75	0.78	8.7	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-7.50	75	0.58	8.9	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-7.75	75	0.38	9.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-8.00	75	0.19	9.3	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-8.25	70	0.78	8.8	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-8.50	70	0.58	9.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-8.75	70	0.38	9.2	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-9.00	70	0.19	9.4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-9.25	70	0.78	10.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-9.50	70	0.58	10.2	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
-9.75	70	0.38	10.4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1